TR 600E



For floating and trowelling freshly laid concrete floors

All of our machines are versatile and easy to operate. Designed for heavy-duty applications and with high reliability. This means low running and maintenance costs.

- Reliable worm gearbox with permanent lubrication
- Safe electric drive, environmentally friendly and quiet-running
- Long and height-adjustable handle
- A folding handle makes transport and storage easy
- Very low level of hand/arm vibrations from the handle
- "Easy grip" dead-man's handle that is easy to hold and designed in such a way that it can be gripped from any point along the ergonomic handle
- Strong protection frame with a lifting hook
- The rotating protection ring offers excellent visibility features. An O-ring fitted on the out side of the cover protects walls against damage
- All steel parts have been electrically galvanized and surface treated to provide better protection against corrosion
- Screw or alternatively quick-pitch system for blade
 adjustment
- Unique blade change system. Just one quickrelease pin per blade
- Accessory: Transport wheels

TECHNICAL DATA SWEPAC TR 600E

Motor, electric	230V, 1-phase, 50 Hz
Motor power	1.5 kW
Speed RPM (motor)	2 810 rpm
Speed RPM (worm gear drive shat	ft) 130 rpm
Weight	63 kg
Weight Transport wheels (including	g 2.6 kg
fixture)	

Dimensions

Protection ring diameter	600 mm
Trowel diameter	581 mm
Floating disc diameter	595 mm
Length in working position	Approx 1 640 mm
Height in working position	1 460 mm
Height in transport position	980 mm
Hand/arm vibrations (HAV) as per	1.4 m/s ²
ISO 5349 on fresh concrete (using	
floating disc)	
Guaranteed sound power level	93 dB(A)
(SPL) Lwa	
Operator's sound pressure level (OP)	70 dB(A)

Swepac offers a wide range of models with many different engine versions and sizes suitable for any application. Swepac is quality and environment certified in accordance with ISO 9001 and 14001 and the machines are certified to the Euro Test standard by the Swedish Machine Testing Authority. Information about the company and our products can be found on our home page at: www.swepac.com. We retain the right to change the technical specifications without any prior notification.

